

FM-200[™]

(Fire Extinguishing Agent with Expellant)

IDENTIFICATION

Product Name FM-200[™] (Fire Extinguishing Agent with Expellant)

Other Names Heptafluoropropane, HFC-227ea

Recommended use of the chemical and

restrictions on use

Identified uses Fire Extinguishing Agent

Restrictions on use Consult applicable fire protection codes

Company Identification Kidde-Fenwal, LLC 400 Main Street

Ashland, MA 01721

(508) 881-2000

(800) 424-9300

USA

Customer Information Number Emergency Telephone Number

Chemtrec Number

(703) 527-3887 (International)

Issue Date July 9, 2024 **Supersedes Date** October 1, 2015

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

HAZARD IDENTIFICATION

Hazard Classification

Gas under pressure - liquefied gas Simple Asphyxiant

Label Elements

Hazard Symbols



Signal Word: Warning

Hazard Statements

Contents under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.

Precautionary Statements

Prevention

Do not enter confined space unless adequately ventilated. In case of inadequate ventilation wear respiratory protection.

Revision Date: July 9, 2024 Page 1 of 8



FM-200[™]

(Fire Extinguishing Agent with Expellant)

2. HAZARD IDENTIFICATION

Response

None

Storage

Keep container tightly closed.

Protect from sunlight and store in well-ventilated place.

Disposal

None

Other Hazards

Direct contact with the cold gas or liquid can cause freezing of exposed tissues. Exposure to vapor at high concentrations can cause cardiac sensitization and suffocation if air is displaced by vapors.

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity 0%
Acute dermal toxicity 0%
Acute inhalation toxicity 0%
Acute aquatic toxicity 0%

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Heptafluoropropane This product is a substance.

Component CAS Number Concentration

1,1,1,2,3,3,3-Heptafluoropropane 431-89-0 >99.9%

Note: The expellant is nitrogen.

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Eves

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Flush with water. Obtain medical attention if frostbite or blistering occurs or redness persists.

Ingestion

Ingestion is not considered a potential route of exposure.

Inhalation

Remove from exposure. If there is difficulty in breathing, give oxygen. Obtain medical attention immediately.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Revision Date: July 9, 2024 Page 2 of 8



SAFETY DATA SHEET FM-200™

(Fire Extinguishing Agent with Expellant)

4. FIRST- AID MEASURES

Indication of immediate medical attention and special treatment needed Notes to Physicians

In case of frostbite, place the frostbitten part in warm water. If warm water is not available or impractical to use, wrap the affected parts gently in blankets. DO NOT USE HOT WATER.

The use of epinephrine or similar compounds can increase susceptibility to heart irregularities caused by excessive exposure to these types of compounds.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

FM-200[™] is used as an extinguishing agent and therefore is not a problem when trying to control a blaze. Use extinguishing agent appropriate to other materials involved. Keep containers and surroundings cool with water spray as containers may rupture or burst in the heat of a fire.

Specific hazards arising from the chemical

Containers may explode in heat of fire.

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear full protective clothing and self-contained breathing apparatus. Remove leaking cylinder to a safe place. Ventilate the area. Leaks inside confined spaces may cause suffocation as vapors may displace air, and should not be entered without a self-contained breathing apparatus.

Environmental Precautions

Prevent the material from being released into the environment.

Methods and materials for containment and cleaning up

Material evaporates.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Pressurized containers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or pressurized containers. Do not drop pressurized containers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the pressurized or plastic container. Store pressurized and plastic containers away from high heat sources. Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

Revision Date: July 9, 2024 Page 3 of 8



FM-200[™]

(Fire Extinguishing Agent with Expellant)

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

1,1,1,2,3,3,3-Heptafluoropropane

None assigned.

Appropriate engineering controls

Use with adequate ventilation. There should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes or odor becomes apparent, use local exhaust ventilation.

Individual protection measures

Respiratory Protection

Not normally required under conditions of use as a portable fire extinguisher. For other applications creating oxygen deficient atmospheres, use a self contained breathing apparatus, as an air purifying respirator will not provide protection.

Skin Protection

Wear rubber gloves. Avoid contact with skin.

Eye/Face Protection

Chemical goggles or safety glasses with side shields. Avoid contact with eyes.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Agent – FM-200™

Appearance

Physical State Liquefied gas under pressure

Color Colorless

Odor Slight ether like **Odor Threshold** No data available

pН Neutral **Specific Gravity** 1.46

-16.4°C/3°F **Boiling Range/Point (°C/F)** Melting Point (°C/F) -129.5°C/265°F Flash Point (PMCC) (°C/F) Not flammable **Vapor Pressure** 540 hPa at -30 °C 29,360 hPa at 123 °C

Not applicable

Evaporation Rate (BuAc=1) Solubility in Water 0.23 g/l at 25°C

Vapor Density (Air = 1) 5.8

VOC (%) Not applicable

Partition coefficient (n-2289

octanol/water)

Viscosity Not applicable Auto-ignition Temperature No data available **Decomposition Temperature** No data available

Revision Date: July 9, 2024 Page 4 of 8



FM-200[™]

(Fire Extinguishing Agent with Expellant)

9. PHYSICAL AND CHEMICAL PROPERTIES

Upper explosive limitNot explosiveLower explosive limitNot explosiveFlammability (solid, gas)Not flammable

Expellant - Nitrogen

Appearance

Physical State Compressed gas

Color Colorless

Odor None

Odor Threshold No data available PH Not applicable

Specific Gravity 0.075 lb/ft³ @70°F as vapor

Boiling Range/Point (°C/F)

Melting Point (°C/F)

Flash Point (PMCC) (°C/F)

-196°C/-321°F

No data available

Not flammable

Vapor Pressure 838 psig @70°F and 1 atmosphere(Carbon Dioxide)

Evaporation Rate (BuAc=1)
Solubility in Water
Vapor Density (Air = 1)
No data available
No data available
Not applicable

VOC (g/l) None VOC (%) None

Partition coefficient (n- No data available

octanol/water)

Viscosity
Auto-ignition Temperature
Decomposition Temperature
Upper explosive limit
Lower explosive limit
Flammability (solid, gas)

Not applicable
No data available
Not explosive
Not explosive
Not flammable

10. STABILITY AND REACTIVITY

Reactivity

Decomposes on heating. Containers may rupture or explode if exposed to heat.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Heat - High temperatures - Exposure to direct sunlight

Incompatible Materials

Powdered metals (ex. aluminum, zinc, etc.) - strong oxidizing agents – strong reducing agents – strong alkalis

Hazardous Decomposition Products

Oxides of carbon - hydrogen halides - fluorocarbons - carbonyl halides

Revision Date: July 9, 2024 Page 5 of 8



FM-200[™]

(Fire Extinguishing Agent with Expellant)

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

FM-200™

4 hour LC50(rat) >788,698 ppm

Low Observed Adverse Effect Concentration (LOAEC)/dog: 105000 ppm

Cardiac sensitization

No Observed Adverse Effect Concentration (NOAEC)/dog: 90000 ppm

Nitrogen

Simple asphyxiant

Specific Target Organ Toxicity (STOT) - single exposure

<u>Nitrogen:</u> Exposure to nitrogen gas at high concentrations can cause suffocation by reducing oxygen available for breathing. Breathing very high concentrations can cause dizziness

Specific Target Organ Toxicity (STOT) - repeat exposure

No relevant studies identified.

Serious Eye damage/Irritation

Not expected to cause eye irritation based on review of properties of the substance.

Skin Corrosion/Irritation

Not expected to cause skin irritation based on review of properties of the substance.

Respiratory or Skin Sensitization

<u>FM-200</u>[™]: Not expected to cause skin sensitization based on review of properties of the substance. Did not cause respiratory sensitization in laboratory animals.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

<u>FM-200</u>[™]: Animal testing and testing on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive Toxicity

<u>FM-200™</u>: Animal testing showed no reproductive toxicity. (Based on data obtained from similar substances.) Animal testing showed no developmental toxicity.

Aspiration Hazard

Not an aspiration hazard.

Other

FM-200™: Cardiac sensitization threshold limit: 730190 mg/m3

12. ECOLOGICAL INFORMATION

Ecotoxicity

FM-200[™]

LC50 > 200 mg/l zebra fish 96h

EC50> 200 mg/l Water flea 48h

Revision Date: July 9, 2024 Page 6 of 8



FM-200[™]

(Fire Extinguishing Agent with Expellant)

12. ECOLOGICAL INFORMATION

Mobility in soil

No relevant studies identified.

Persistence/Degradability

Not readily biodegradable.

Bioaccumulative Potential

No relevant studies identified.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of container in accordance with all applicable local and national regulations. Do not cut puncture or weld on or near to the container. If spilled, contents will vaporize to the atmosphere.

14. TRANSPORT INFORMATION

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment.

DOT CFR 172.101 Data Heptafluoropropane, 2.2, UN3296

UN Proper Shipping Name
UN Class
Heptafluoropropane
(2.2) Non-Flammable Gas

UN Number UN3296 UN Packaging Group Not applicable

Classification for AIR Consult current IATA Regulations prior to shipping by air.

Transportation (IATA)

Classification for Water Consult current IMDG Regulations prior to shipping by water.

Transport IMDG

This section is believed to be accurate at the time of preparation. It is not intended to be a complete statement or summary of the applicable laws, rules, or hazardous material regulations, and is subject to change. Users have the responsibility to confirm compliance with all laws, rules, and hazardous material regulations in effect at the time of shipping.

15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product have been verified for inclusion on the Domestic Substance List (DSL).

SARA Title III Sect. 311/312 Categorization

Pressure Hazard

Revision Date: July 9, 2024 Page 7 of 8



SAFETY DATA SHEET FM-200™

(Fire Extinguishing Agent with Expellant)

15. REGULATORY INFORMATION

SARA Title III Sect. 313

This product does not contain any chemicals listed in Section 313 at or above de minimis concentrations.

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 1

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

HMIS Ratings

HMIS Code for Health - 1

HMIS Code for Flammability - 0

HMIS Code for Physical Hazard - 0

HMIS Code for Personal Protection - See Section 8

*Chronic

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service

IARC: International Agency for Research on Cancer N/A: Denotes no applicable information found or available

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

Revision Date: July 9, 2024 Replaces: October 1, 2015

Changes made: Updated Company Name.

Information Source and References

This SDS is prepared by Kidde-Fenwal, LLC based on information provided by internal company references.

The information and recommendations presented in this SDS are based on sources believed to be accurate. Kidde-Fenwal, LLC assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.

Revision Date: July 9, 2024 Page 8 of 8





